



Material: Polyamide 6.6  
Color: black figures on white background

**taris** IDC DIN rail terminal blocks, type WKC, can take in marking tags on both sides on top of the block in a three-chamber slot.

- Marking strips** made from Polyamide 6.6, suitable for 10 blocks in a row, marked and unmarked. Marking 1-10, 11-20 etc. up to 991-999. Type 9705 A/5/10 (5 mm spacing) for terminal blocks of type WKC 1. Type 9705 A/6/10 (6 mm spacing) for terminal blocks of type WKC 2.5.
- Tear-off marking strips** are made from white Polyamide 6.6 and feature 10 marking tags, marked and unmarked. With only 11 stock positions, this marking system reduces the time needed to pick and attach tags and keeps inventory low for additional cost savings. Type 9704 A. (see master catalog page 1/104)
- Single marking tag**, made from white Polyamide 6.6, marked and unmarked. Type 9705 A.
- Marking plates** made from Polyamide 6.6 consisting of 11 marking strips. Type 9705 A/5/10 (5 mm spacing) for terminal blocks type WKC 1. Type 9705 A/6/10 (6 mm spacing) for terminal blocks type WKC 2.5.

### Marcom 2000 Custom Marking Tag System

Description:	Description:	Part no.
The Wieland Marcom 2000 is a plotter system that uses Wieland's Windows® based software package to interface with a PC, allowing custom printing on standard Wieland marking tags. These standard marking tags provide circuit identification for Wieland DIN rail mount terminal blocks, rectangular multipole connectors and WEB/WEG electronic housings.	<b>Plotter</b>	IP220-WI*
	<b>Software</b>	MARCOM2000 Software* **
	<b>Manual</b>	MARCOM2000 Manual* **
	<b>Templates:</b>	
	Multicard Template	PT ALL TAGS* **
	9705 AL/5/10/6	PT AL-5-10* **
	9705 A/5/10/11	PT A-5-10* **
	9705 AL/6/10/6	PT AL-6-10* **
	9705 A/6/10/11	PT A-6-10* **
<b>Resolution:</b>	0.025mm	
<b>Accuracy:</b>	+/-0.1mm	
<b>Power Supply:</b>	50/60 hertz	
	180-264V, 90-132V	
	Automatic switch over from	
	110V to 230V	
<b>Power Rating:</b>	About 0.3A for 220V	
<b>Approvals:</b>	UL-UL478 (REV.4)	9705 A/6.7/12/7
	CSA-22.2 No. 220 and	9705 AL/6.7/12/7
	VDE EN 60 950	9705 A/8/10/7
<b>Interference:</b>	FCC Class B	* must use multi-card template.
	FCC Part 15 and VDE Class B	
<b>Dimensions:</b>	620mm x 425mm x 106.5mm	
<b>Weight:</b>	6.4kg	
<b>Interfaces:</b>	RS-232C and parallel (Centronics)	
<b>Software:</b>	Supports Windows 3.1®, Windows 95®, or Windows NT® (plotter does not support NT, only the software supports NT).	
<b>Requirements:</b>	486 IBM compatible PC with 4MB of RAM (8MB recommended), 5 Megabytes of free hard drive space.	
	<b>Marker Cards:</b>	
	9705 A/5/10/11	Z4.242.5053.0 110 tags per card
	9705 AL/5/10/6	Z4.242.5153.0 60 tags per card
	9705 A/6/10/11	Z4.242.6053.0 110 tags per card
	9705 AL/6/10/6	Z4.242.6153.0 60 tags per card
	9705 A/6.7/12/7	Z4.242.6753.0* 84 tags per card
	9705 AL/6.7/12/7	Z4.242.6853.0* 36 tags per card
	9705 A/8/10/7	Z4.242.8053.0*
	<b>Pens &amp; Accessories:</b>	
	Pen point 0.25mm	759 025*
	Pen point 0.18mm (recommended)	759 018
	Pen Adaptor	75PL07H2*
	Ink, Black	485 23SAR-9*
	Pen Cleanser	05.579.3301.0
	Container for Cleanser	05.579.3302.0
	<b>Kits:</b>	
	Turnkey Kit	MARCOM2000 KIT1 (includes *)
	Accessories Kit	MARCOM2000 KIT2 (includes **)

# Marking Strips and Marking Plates

# taris



## Marking facilities for terminal blocks

### 1 mm<sup>2</sup>/5 mm Width

### 2.5 mm<sup>2</sup>/6 mm Width

Type	Part no.	Std. pack	Type	Part no.	Std. pack	Type	Part no.	Std. pack
<b>Partition plate with marking facilities for terminal blocks</b> (color: gray)			<b>Marking strips, unmarked</b>			<b>Marking strips , unmarked</b>		
			9705 A/5/10	04.242.5053.0	25	9705 A/6/10	04.242.6053.0	25
			<b>Marking strips, marked</b>			<b>Marking strips, marked</b>		
	27.311.7055.0	10	9705 A/5/10 B 1 - 10	04.845.0153.0	25	9705 A/6/10 B 1 - 10	04.846.0153.0	25
			11 - 20	04.845.0253.0	25	11 - 20	04.846.0253.0	25
			21 - 30	04.845.0353.0	25	21 - 30	04.846.0353.0	25
			31 - 40	04.845.0453.0	25	31 - 40	04.846.0453.0	25
			41 - 50	04.845.0553.0	25	41 - 50	04.846.0553.0	25
<b>End brackets with marking facilities for terminal blocks</b> (color: black)			51 - 60	04.845.0653.0	25	51 - 60	04.846.0653.0	25
			61 - 70	04.845.0753.0	25	61 - 70	04.846.0753.0	25
	69.920.0553.0	10	71 - 80	04.845.0853.0	25	71 - 80	04.846.0853.0	25
			81 - 90	04.845.0953.0	25	81 - 90	04.846.0953.0	25
			91 - 100	04.845.1053.0	25	91 - 100	04.846.1053.0	25
<b>Marking card in perforated sheets</b> (1 sheet = 100 individual tags)			⊕ (10 x)	04.855.0053.0	25	⊕ (10 x)	04.856.0053.0	25
			± (10 x)	04.855.0153.0	25	± (10 x)	04.856.0153.0	25
			+ (10 x)	04.855.0253.0	25	+ (10 x)	04.856.0253.0	25
			- (10 x)	04.855.0353.0	25	- (10 x)	04.856.0353.0	25
	04.019.0289.0	10	L1 (10 x)	04.855.0453.0	25	L1 (10 x)	04.856.0453.0	25
			L2 (10 x)	04.855.0553.0	25	L2 (10 x)	04.856.0553.0	25
			L3 (10 x)	04.855.0653.0	25	L3 (10 x)	04.856.0653.0	25
			PE (10 x)	04.855.0753.0	25	PE (10 x)	04.856.0753.0	25
			SL (10 x)	04.855.3153.0	25	SL (10 x)	04.856.3153.0	25
			N (10 x)	04.855.3253.0	25	N (10 x)	04.856.3253.0	25
			F1 (10 x)	04.855.0953.0	25	F1 (10 x)	04.856.0953.0	25
			F2 (10 x)	04.855.1053.0	25	F2 (10 x)	04.856.1053.0	25
			L1, L2, L3, N, PE (2 x)	04.855.0853.0	25	L1, L2, L3, N, PE (2 x)	04.856.0853.0	25
			<b>Marking plates, unmarked</b>			<b>Marking plates, unmarked</b>		
			9705 A/5/10/11	Z4.242.5053.0	10	9705 A/6/10/11	Z4.242.6053.0	10
			custom marking upon request			custom marking upon request		